

TCORX
FITNESS IN MOTION

INSTRUCTION



WBX180
MULTIFIT



Cod: GRDTCORXWBX180M

Rev : 00

Ed : 12/23

CARE AND MAINTENANCE


1. Lubricate moving parts with WD-40 or light oil periodically.
2. Inspect and tighten all parts before using the equipment.
3. The equipment can be cleaned using a damp cloth and mild non-abrasive detergent.
DO NOT use solvents.
4. Examine the equipment regularly for signs of damages or wear.
5. Replace any defective components immediately and/or keep the equipment out of use until repair.
6. **Failure to examine regularly may affect the safety level of the equipment.**

WEIGHT CAPACITY AND DIMENSION


1. Maximum user weight: 300 lbs.
2. Maximum weight capacity (including user weight): 600 lbs.
3. Assembled Dimension: 65" x 23" x 46.5"

BACKREST ADJUSTMENT ANGLES


Backrest adjustment angle ranges from -27° to 76° .




HARDWARE PACK



① ×1




② ×1




③ ×1




④ ×1




⑤ ×1



⑥ ×1



⑦ ×2



⑧ ×1



⑨ ×1




⑩ ×1




⑪ ×2



⑫ ×1




⑬ ×3



⑭ ×1



⑮ ×1



⑯ ×6



⑰ ×6




⑱ ×1




⑳ ×1




㉕ ×1




③⑦ × 8




③① × 4




③② × 3




③③ × 1



③④ × 1






③⑤ × 1




③⑥ × 1

mm








(43) x 10




(42) x 1



(41) x 8




(40) x 16



(39) x 2



(49) x 2



#3 x 1


#4 x 1

#5 x 1


#6 x 1

(30) x 1

mm




ASSEMBLY INSTRUCTIONS



31

×4


M10×70mm



40

×4

φ20×φ10.5





43




×4

M10



1

③②  ×3




M10×70mm

④④ ×6

φ20×φ10.5



④③   ×3


M10



2


- | | | | | | | | |
|------|--|----|-----------|------|--|----|-----|
| (36) | | ×1 | M12×195mm | (42) | | ×1 | M12 |
| (39) | | ×2 | φ24×φ13.5 | | | | |
| (49) | | ×2 | M6×6mm | | | | |





×1

M10×125mm



×1

M10×185mm






×4


φ20×φ10.5



×2

M10







×8


M8×40mm






×8

φ16×φ8.4




33		×1	M10×90mm
40		×2	φ20×φ10.5
43	 	×1	M10



6

EXPLODED DIAGRAM



PARTS LIST

PART NO.	DESCRIPTION	SIZE	QUANTITY
1	Main Frame		1
2	Front Post		1
3	Rear Base		1
4	Leg Developer Holder		1
5	Leg Developer		1
6	Seat Bracket		1
7	Backrest Support		2
8	Backrest Incline Support		1
9	Seat Incline Support		1
10	Front Post Bracket		1
11	Incline Adjustment Base		2
12	Bracket	120×50×3	1
13	Foam Tube		3
14	Seat Pad		1
15	Backrest Board		1
16	Foam Roll		6
17	Foam Roll End Cap		6
18	Olympic Sleeve		1
19	Rubber Bumper	Ø30×Ø25×30	1
20	End Cap	Ø 25	1
21	Roller Wheel		2
22	Leg Developer Bushing		2
23	Spring Clip	Ø 49	1
24	Spring Clip	Ø 24.5	1
25	Lock Knob	M18	1
26	Sleeve	□50×□45	1
27	End Cap	□45	1
28	End Cap	□25	8
29	Rubber Bumper	Ø 20×16×29	2
30	L-shaped Lock Pin		1
31	Carriage Bolt	M10×70	4
32	Allen Bolt	M10×70	3
33	Allen Bolt	M10×90	1
34	Allen Bolt	M10×125	1
35	Allen Bolt	M10×185	1
36	Hex Bolt	M12×195	1
37	Allen Bolt	M8×40	10

38	Spacer	Ø 25×Ø11	1
39	Washer	Ø 24×13.5	2
40	Washer	Ø20×Ø10.5	16
41	Washer	Ø16×Ø8.4	12
42	Aircraft Nut	M12	1
43	Aircraft Nut	M10	10
44	Aircraft Nut	M8	2
45	Bolt Cover Cap	M10	1
46	Rubber Feet		2
47	Rubber Feet		1
48	Bushing		8
49	Set screw	M6×6	2
50	End Cap	Ø 50	3
	Allen Wrench	6#	1
	Allen Wrench	5#	1
	Allen Wrench	4#	1
	Allen Wrench	3#	1



GARLANDO SPA
Via Regione Piemonte, 32 - Zona Industriale D1
15068 - Pozzolo Formigaro (AL) - Italy
www.toorx.it - info@toorx.it